



EQUIPMENT INNOVATORS

# INNOVATING THE VENDING INDUSTRY



IMPROVING YOUR BOTTOM LINE

# omnicube® Transport Coolers, Refrigerators, Freezers, and Combination Units


omnicube® Transport Coolers, Mechanical Refrigerators, Freezers, and Combination Units are designed and manufactured by [Equipment Innovators](#) in a variety of configurations and sizes.

omnicube® transport refrigerators with mechanical refrigeration exceed food safety regulations, providing convenient transport refrigeration in a truck body or **omnivan**® at freezer, refrigerator, or cooler temperatures. We also offer the **omnicube**® transport cooler built with **omniice**® for food or candy.

omnicube® is constructed of heavy duty corrosion-resistant materials and thermally broken anodized extruded aluminum with aluminum & stainless steel fasteners and stainless steel hardware. The walls and doors contain 1-3/4" polyurethane core and FRP (Fiber Reinforced Polymer) skins. Special thermal breaks in the extrusions reduce heat transfer around the entire cabinet.

## omnicube® Ice Pack Coolers for Candy and Food


Protect your chocolate and other perishables with **omnicube**® Candy and Food Coolers. **omnicube**® with its superior insulation and **omniice**® ice packs, for candy or food, provide the right temperature for optimal product freshness and appearance.




TC 12-10 CP Candy Cooler - #AGTC1210CP  
 TC 12-10 RP Food Cooler - #AGTC1210RP  
 174 lbs.

Candy Cooler includes 3 Candy **omniice**® ice packs (blue). Food Cooler includes 3 Refrigerator **omniice**® ice packs (green) for maintaining colder temperatures for sandwiches, milk, and other sensitive perishables.  
 5 **omnipak**® food trays (BB-207) also included.

Outside	27-3/4" W	28-3/4" D	38-3/4" H
Inside	20-1/4" W	25" D	35" H






TC 15-12 CP Candy Cooler - #AGTC1512CP  
 TC 15-12 RP Food Cooler - #AGTC1512RP  
 180 lbs.

Candy Cooler includes 3 Candy **omniice**® ice packs. Food Cooler includes 3 Refrigerator **omniice**® ice packs (green) for maintaining colder temperatures for sandwiches, milk, and other sensitive perishables.  
 6 **omnipak**® food trays (BB-207) also included.

Outside	27-3/4" W	28-3/4" D	45-3/4" H
Inside	20-1/4" W	25" D	42" H

## omnicube® Ice Pack Coolers for Candy and Food



TC 17-14 CP Candy Cooler - #AGTC1714CP  
 TC 17-14 RP Food Cooler - #AGTC1714RP

205 lbs.

Candy Cooler includes 4 Candy **omniice**® ice packs. Food Cooler includes 4 Refrigerator **omniice**® ice packs (shown) for maintaining colder temperatures for sandwiches, milk, and other sensitive perishables. 7 **omnipak**® food trays (BB-207) also included.

Outside	27-3/4" W	28-3/4" D	52-3/4" H
Inside	20-1/4" W	25" D	49" H

TC 19-16 CP Candy Cooler - #AGTC1916CP  
 TC 19-16 RP Food Cooler - #AGTC1916RP

235 lbs.

Candy Cooler includes 4 Candy **omniice**® ice packs. Food Cooler includes 4 Refrigerator **omniice**® ice packs (shown) for maintaining colder temperatures for sandwiches, milk, and other sensitive perishables. 8 **omnipak**® food trays (BB-207) also included.



Outside	27-3/4" W	28-3/4" D	59-3/4" H
Inside	20-1/4" W	25" D	56" H

TC 24 CR Combination Cooler for Candy and Food  
 #AGTCU24CR

235 lbs.

Movable center insulated shelf separates candy and food compartments to maintain temperatures. Includes 2 candy **omniice**® ice packs, 2 Food **omniice**® ice packs, 8 adjustable wire shelves, and 1 insulated divider shelf. Food trays shown are optional. Other combination units are available.



Outside	28-1/4" W	30-1/16" D	67" H
Inside	24-1/2" W	26-5/16" D	62-1/8" H


### OPTIONS for Candy and Food Ice Pack Coolers:

Wire Shelves - #RTC-shelf 12-11	Reverse Door Opening - #RTR-D-R
Door (Overlapping for Full Opening) - #RTR-D-O	Door (Additional with Door Jamb) - #RTR-D-WJ
Stacking Kit - #RTC-SK	Installation Kit - #RTC-FLOOR
Tread Plate Floor - #RTR0010 - Installed / #RTR0010-K - Kit	Floor Slides (1st row requires 2) - #RTR-FSL
Tray Racking (Vertical Stanchions) - #RTR/TC-S	Tray Racking (Slides for Metal Trays) - #RTC/TR-SMT
Tray Racking (Slides for Plastic Trays) - #RTC/TR-SPT	Factory Installation (Including Kit) - #RTC-INSTALL
Standard Paddle Latch Non Locking - #HL0100	Paddle Latch with Lock - #HL0110

Ice Pack Coolers come with a Floor Installation Kit

## omniice® Ice Packs

15 lbs.



Blue Candy  
**omniice®**  
Ice Packs  
#GA0005

Maintain 60-70 degrees F; optimal for chocolate. 24-1/2" W x 11" D x 2" H

15 lbs.



Green Food  
**omniice®**  
Ice Packs  
#GA0006

Maintain 35-40 degrees F for sensitive perishables like sandwiches and milk. 24-1/2" W x 11" D x 2" H

**IMPORTANT NOTE: Refreeze ice packs overnight in the horizontal position. Do not stand on end or on edge. Freeze ice pack solid prior to usage. Home and chest type freezers may require two nights to freeze Food omniice®.**

## omnipak® Food Trays

Protect and organize your food with **omnipak®** food trays. Trays nest together for secure hand truck transport. Rugged, heavy duty construction.


PLSK-24 - #GOP0015



Weight: 1.5 lbs.

Outside	19-1/8" W	13-1/8" D	6-11/16" H
Inside	18-1/16" W	12-1/8" D	5-3/4" H

PLC-24 - #GOP0010



Weight: 1.75 lbs.

Outside	19-1/8" W	13-1/8" D	11-1/8" H
Inside	18-1/16" W	12-1/8" D	10-3/8" H


BB-207 - #GOP0001



Weight: 1.7 lbs.

Outside	23-7/8" W	19-7/8" D	6-1/16" H
Inside	22-9/16" W	18-1/2" D	5-1/8" H

CC-26 - #GOP0020



Weight: 1.4 lbs.

Outside	26" W	17-3/4" D	5-1/8" H
Inside	23-1/8" W	14-7/8" D	4-1/2" H

# omnicube® Mechanical Refrigerators, Freezers, and Combination Units

The **omnicube®** Mechanical Cold Plate system recharges overnight when plugged into standard 115 volt AC current while vehicle is parked. Cold air is circulated by 12 volt fans during the day.

TR 21-17 Transport Refrigerator



Outside	30-1/4" W	28" D	70-3/4" H
Inside	26-1/2" W	20-3/8" D	55-7/8" H

Complete unit includes 6 BB-207 food trays and 2 PLC-24 food trays.

Complete (326 lbs.) - #AGTR2117C  
 Empty (no slides or shelves - 306 lbs.) - #AGTR2117E  
 With CC-26 Food Trays - #AGTR2117CC26

TR 22-18 Transport Refrigerator



Outside	32-1/4" W	27-1/4" D	70-3/4" H
Inside	28-1/2" W	19-5/8" D	55-7/8" H

Complete unit includes 4 adjustable wire shelves and floor slides.

Complete (335 lbs.) - #AGTR2218C  
 Empty (no slides or shelves - 296 lbs.) - #AGTR2218E

TR 30-25 Transport Refrigerator



Outside	32-1/4" W	35-1/2" D	70-3/4" H
Inside	28-1/2" W	27-7/8" D	55-7/8" H

Complete unit includes 4 adjustable wire shelves and floor slides. Fits 4 Standard Square Milk Crates per layer. Food trays sold separately.

Complete (347 lbs.) - #AGTR3025C  
 Empty (no slides or shelves - 300 lbs.) - #AGTR3025E

TR 36-31 Transport Refrigerator and  
 TR 46-41 Transport Refrigerator



TR 36-31 Outside		
45-3/4" W	38-1/4" D	46" H

TR 36-31 Inside		
42" W	30-5/8" D	41-1/8" H

TR 46-41 Outside		
45-3/4" W	48-3/4" D	46" H

TR 46-41 Inside		
42" W	41-1/8" D	41-1/8" H

Condenser adds 14"

Complete units include 2 adjustable aluminum shelves and floor slides. Condenser can be mounted on side or rear of unit. Rear mounted condenser is standard.

TR 36-31 Complete (383 lbs.) - #AGTR3631C  
 TR 36-31 Empty (no slides or shelves - 334 lbs.) - #AGTR3631E  
 TR 46-41 Complete (485 lbs.) - #AGTR4641C  
 TR 46-41 Empty (no slides or shelves - 426 lbs.) - #AGTR4641E

# omnicube<sup>®</sup> Mechanical Refrigerators, Freezers, and Combination Units

TR 42-36 Transport Refrigerator



OD	45-3/4 W	35-1/2 D	70 H
ID	42 W	27-3/8 D	55-1/8 H

Complete unit includes 3 fixed aluminum shelves and floor slides. Holds sixteen BB-207 food trays (sold separately).

Complete (418 lbs.) - #AGTR4236C  
Empty (no slides or shelves - 394 lbs.) - #AGTR4236E

TR 65-54 Transport Refrigerator



OD	63 W	35-1/2 D	62-1/2 H
ID	59-1/4 W	27-7/8 D	57-1/8 H

Complete unit includes 4 adjustable wire shelves and floor slides. One door is standard (shown closed above). Two-door model is optional (shown open above).

Complete (668 lbs.) - #AGTR6554C  
Empty (no slides or shelves - 579 lbs.) - #AGTR6554E

TR 71-60 Transport Refrigerator



OD	63 W	35-1/2 D	68 H
ID	59-1/4 W	27-7/8 D	63-1/8 H

Complete unit includes 4 adjustable wire shelves and floor slides. One door is standard (shown with 2 doors above).

Complete (678 lbs.) - #AGTR7160C  
Empty (no slides or shelves - 589 lbs.) - #AGTR7160E

TR 75-64 Transport Refrigerator  
(designed for center front of step van or box truck)



The fill panel creates an off center door putting the door in the aisle when unit is on front wall

OD	69 W	34-1/2 D	68 H
ID	65-1/4 W	26-7/8 D	63-1/8 H

Complete unit includes 3 fixed aluminum shelves, and floor slides.

Complete (625 lbs.) - #AGTR7564C  
Empty (no slides or shelves - 618 lbs.) - #AGTR7564E

# omnicube® Mechanical Refrigerators, Freezers, and Combination Units

CU 8C-23R Combination Cooler/Refrigerator



Condenser adds 14"

Outside	32-1/4" W	35-1/2" D	71-1/2" H
Inside - Cooler	28-1/2" W	31-3/4" D	14" H
Inside Refrigerator	28-1/2" W	28-3/8" D	48-7/8" H

Complete unit includes fixed divider shelf, 4 wire shelves and floor slides. Shown with standard single door on left and optional two shown on right.

Complete (405 lbs.) - #AGTRCU8C23RC  
Empty (no slides or shelves - 366 lbs.) - #AGTRCU8C23RE

CU 21R-7F Combination Refrigerator/Freezer



Outside	47-7/16" W	31-7/8" D	75-1/2" H
Inside - Refrigerator	24-5/8" W	24-1/2" D	59-1/4" H
Inside - Freezer	13-3/4" W	24-1/2" D	55-3/4" H

Complete unit includes 6 food trays (BB-207) and 2 food trays (PLC-24) on Refrigerator side, and 4 aluminum shelves on Freezer side.

Complete (510 lbs.) - #AGTRCU21R7FC  
Empty (without slides or shelves - 465 lbs.) - #AGTRCU21R7FE

TF 11-9 FD Transport Freezer



340 lbs.

Outside	42" W	32-3/8" D	38" H
Inside	31-1/8" W	17-5/8" D	27-1/8" H
Condenser	13" W	26" L	10" H

Doors can be mounted on the top creating a chest type freezer or at the top of the front face (shown). Condensing unit mounts on top, back, or side. 115 volt AC, 50/60 cycle, single phase. Unit is designed for a 10 to 12 hour plug in, to maintains 0°F.

Front Hopper Door - #AGTF119FD  
Top Door - #AGTF119TD

## Shelves

TR 22-18, Wire - #RTR-shelf 22-18

TR 30-25, Wire - #RTR-shelf 30-25

TR 36-31, Aluminum - #RTR-shelf 36-31

TR 42-36, Aluminum - #RTR-shelf 42-36

TR 46-41, Aluminum - #RTR-shelf 46-41

TR 65-54, Wire - #RTR-shelf 65-54

TR 71-60/ CU 10C51R, Wire - #RTR-shelf 71-60

TR 75-64, Candy Aluminum - #RTR-shelf 75-64C

TR 75-64, Full Width Aluminum - #RTR-shelf 75-64

CU 8C-23R, Wire - #RTR-shelf 30-25

CU 25R-7F, Freezer, Aluminum - #RTR-shelf-7F

CU 25R-7F, Refrigerator, Wire - #RTR-shelf 30-25

Shelf Clip #KS0000

Transport refrigerators come with a Floor Installation Kit and an appropriate U.L. approved hull connector with mating plug for power

**It is HIGHLY RECOMMENDED that you install an exhaust fan and fresh air intake when the cooler is installed in a body that will have the doors closed while the condenser is running.**

## OPTIONS for Mechanical Refrigerators, Freezers, and Combination Units:

Condenser Special Location on the cooler	Condenser Location not on Cooler (vehicle and location required)
Door Reversed Swing - Hinged on the Left	Door Overlapping, Full Opening (no door jamb)
Door, Additional with Door Jamb	Thermocurtains (reduce thermal lose from door opening)
Over Center Door Latches (replaces paddle latch)	Overnight Storage Kit
Floor, Aluminum Tread Plate	Floor Slides for Milk Crates
Tray Racking, Vertical Stanchions	Tray Racking, Slides for Metal Trays (tray size required)
Tray Racking, Slides for Plastic Trays (tray size required)	Thermometer (air inside cooler) - #RTR-AMBIENT
Air Intake Installed	Powered Air Exhaust Installed
Air Intake Kit - KY0055 (for ship out)	Powered Air Exhaust Kit - #KY0021 (for ship out)
Floor Attachment Kit (all coolers are supplied with kit)	Security Bracing Kit (specific to vehicle used)

### Factory Installation (includes air intake, powered air exhaust, floor attachment kit, and security bracing):

Step Van - #RTR-SV	High Cube Van - #RTR-HC-I	Cargo Van - #RTR-CV-I
Condenser Location		
Roof Mount	Front of Body	Under Body


## Special Customized **omnicube**<sup>®</sup> Cold Transport Units

In addition to the standard **omnicube**<sup>®</sup> models we build, we can custom manufacture a variety of coolers, refrigerators, and freezers based on the client's particular specifications. Following are some examples:



**Food Sampling omnicube<sup>®</sup> unit has a refrigerated section with a dry storage area for supplies. Surfaces are stainless steel.**

**omnicube<sup>®</sup> Freezer designed for access through side door of Cargo Van. Condensing unit can be located on any side or top.**



**Serving Side w/ Hot, Cold & Serving Ware Areas**



**Storage Side**



**A Mobile Catering omnicube<sup>®</sup> designed to mount on a utility cart, can move meals to remote locations**



# omnirak® Beverage Racks for Cans, Bottles, or Both


omnirak® beverage racks can be one bay or several and can be configured with a combination of E racks (for bottles or cans). All bays are 74-1/4" high. PM = Permanent Mount; T = with Tip Rails; A = Assembled; K = Kit;

"E" Beverage Racks (for BOTTLES OR CANS) 19-3/4" Shelf  
1st Bay (left) is 21-1/4" Wide. Additional bays add 20-1/2" to the width.



Shelves	1 Bay	2 Bays	3 Bays
2	AGPME2A	AGPME2E2A	AGPME2E2E2A
3	AGPME3A	AGPME3E3A	AGPME3E3E3A
4	AGPME4A	AGPME4E4A	AGPME4E4E4A
5	AGPME5A	AGPME5E5A	AGPME5E5E5A
6	AGPME6A	AGPME6E6A	AGPME6E6E6A

Replace the "A" for ASSEMBLED at end of item # with "K" for KIT



## SHELFSYSTEM™ for Walk-In, Step and Cargo Vans

19" Deep Shelves, 20-1/2" O.D. with stanchions  
(max center to center between stanchions is 4ft)



3 High - 11ft SHELFSYSTEM shown with 4 bays of 6 shelf omnirak® Beverage racking




SHELFSYSTEM™ adjustable shelving can be modified to fit around items such as Security Safe and CO<sub>2</sub> Tank Holder shown above.




*Just tell us the # of Shelves and how long, we will do the rest*

## omniclip® Fluorescent Bulb Holders



omniclip® Kit - #AHP0020  
omniclip® Installed - #AHP0021



Small Bulb Large Bulb

omniclip® fluorescent bulb holders help eliminate breakage and storage problems. omniclip® safely holds all sizes of fluorescent tubes, and mounts out of the way (overhead or vertically). Each omniclip® set of two holds 4 tubes.

Each holder is 9-1/8" W x 2-3/4" D x 3" H. The bands keep the bulbs from sliding. Position the band at the base for large bulbs and at the top for small bulbs.



### Hand Truck Racks

- Inside, under shelf - #AEAD0015
- Inside full toe - #AEAD0020
- Inside full toe kit - #AEAD0021
- Outside, rear - #AEAD0040
- Outside Rear Kit - #AEAD0041

### Fresh Air Intake

Kit - #KY0055  
Installed - #AKY0055



### Powered Exhaust Vent

Kit - #KY0021  
Installed - #AKY0021



### Tank Holders

- CO2 Single tank - #AEAB0050
- CO2 Dual Tank - #AEAB0060
- "B" Tank, Type - #AAEC0010
- 30# Freon - #AEAC0030
- 50# Freon / Propane - #AEAC0050

## HIGH SECURITY SAFES

Equipment Innovators' High Security Safes provide a high level security system for the storage of money. Different models are available to fit your company's specifications and to adapt to your vehicle. 3/16" thick steel plate continuously welded for security. Aluminum available for some models. Each door can have 2 locks (either standard heavy duty pad locks with up to 1/2" diameter hasp or American "Hockey Puck" style hidden shank pad locks). Order locks separately.



Econo-Safe  
#AGKC0001

Constructed of 10 gauge steel  
11-1/2" W x 10-1/4" D x 19" H  
Handle and Locks project  
1-3/4"



Standard Collection Safe  
#AGKA0001

Constructed of 3/16" steel  
16-1/4" W x 16-1/4" D x 24-1/2" H




Combination Vertical Safe  
with separate change fund  
compartment  
#AGKA0002

Constructed of 3/16" steel  
16-3/8" W x 16-3/8" D x 40-3/8" H



Aluminum Combination  
Vertical Safe  
#AGKA0005

Constructed of 1/4" aluminum  
16-3/8" W x 16-3/8" D x 40-3/8" H




American  
"Hockey Puck" style  
pad lock with  
hidden shank  
#HL0050

# Typical Vending Interiors for Vans and Box Trucks


## EURO VAN

80 Cases of Cans or  
40 Cases 20 oz  
Safe  
Shelf - 48" - 0"  
Cooler - TC 19-16 RP




## BOX TRUCK

140 Cases of Cans or 70 Cases of 20 oz.  
*Cans and Bottles can be mixed*  
Safe & Hand Truck Rack  
Shelf - 36'-0"  
Cooler - CU 6C-21R-7F




## STEP VAN

168 cases of Cans or 84 Cases of  
20 oz. *Cans and Bottles can be  
mixed* Safe & Hand Truck Rack  
Shelf - 54'-10"  
Cooler - TR 30-25



## STEP VAN

Shown with TR-75-64  
(requires 90" interior width)



## omnivan® Truck Bodies for Vending

**Omnivan®** truck bodies are custom designed and manufactured to the client's specific industry needs. You tell us the products you want to carry and we will design an **omnivan®** to meet your needs and exceed your expectations. All cargo is organized and easily accessible. **omnivan®** truck bodies are lightweight and tough, constructed of fiberglass, stainless steel, and extruded aluminum for light weight, strength and durability.

### **omnivan® for Office Coffee Service**

Offices are asking more from their office coffee services and you need a delivery vehicle that can keep up. You need an **omnivan®** OCS Organizer. It's organized, it's efficient, but best of all - an **omnivan®** has plenty of room for all your OCS supplies and room to grow. **Omnivan®** is the solution to the space shortage in your cargo van. You know, the space shortage that has you re-stacking, digging and crawling all over your van.

You are wasting costly time - it's time for an **omnivan®**.



### **Food and Meal omnivan®**



**omnivan®** Food and Meal delivery bodies place every item at your fingertips, no stooping, crawling, or bending. Full utilization of space provides refrigerated space for 48 steam pans, 12 -3 pan hot boxes, and 3 sheet pan hot boxes, plus room for dry goods. Let us build your next Food and Meal Delivery body.

### **Full Line Vending omnivan®**

Since 1974, Equipment Innovators has built **omnivan®** Vending Organizers in Marietta, GA. The **omnivan®** is arguably the best vending body made. It is the most efficient and easiest to work from and improves safety by reducing fall hazards - all work is done from the ground. The skill of our workforce is evident in the quality of each finished body. The planning that goes into each **omnivan®** makes it easy to work from, and a tool for increased productivity



### **Pre-Kit / Micro Market omnivan®**



The **omnivan®** for Pre-Pak is hands down the best designed truck for the job. Space for refrigerated / frozen / cooled product, there is space down low for soda, room for totes above the soda. Pulling product from the passenger's side and putting the empties back from the driver's side provides automatic rotation of your stock no more out of date product. You will be able to work more stops in the same amount of time with direct loading of the hand truck. No more moving product from the front of the truck and stacking it at the back of the truck, then loading it on the hand truck.

**Equipment Innovators - 800 Industrial Park Drive - Marietta, GA 30062**

**Toll Free 800-733-3434 / Fax 678-391-9120**